



PRODUCT CATALOG-II

ALLOYSTAR CO.,LTD

CONTENTS

01

Gauge/
Compass/Spool

02

Buckle/
Weight Belt

03

Service
Tools

04

Clip/
Bolt Snap/Hook

05

Various of Rings

06

Tank Rattle/
Boot

07

Swivel/
adaptors/Plug

08

Spearfishing
Gear

09

Scuba Light/
Torch

CONTENTS

Gauge/Compass/Spool



CP-01

COMPASS WRIST MOUNT



CP-05

COMPASS For Gauge

CP-05 (no hole)
for CP-01/CP-02/CP-03
Diameter: 51.75mm



CP-02

COMPASS WRIST MOUNT



CP-05M

COMPASS

COMPASS W/HOUSING
FOR GAUGE BOOT
CP-05M (with holes)
for CP-07/CP-07-1/CP-08
Diameter: 58mm
(Including base 70mm)



CP-03

COMPASS WRIST & HOSE MOUNT



CP-07A

Compass w / Retractor, PP pouch



CP-08

Compass w/ stretch belt, PP pouch



DG-01

Dive Wrist Depth gauge-25M-MDI

Diam. 63 mm / 2.5"

Weight: 177 grams

Yellow and black dial available

Accuracy to DIN EN 13319



CP-09

Compact compass with Retractor

Cord material: Stainless Steel

Cord length: Approx. 60 cm long

Compass with a sturdy rebounding retractor

Box for CP-09 is option,
standard package is by PP bag.



ITP-01

INTERMEDIATE PRESSURE GAUGE

LOW PRESSURE GAUGE

WITH RELEASE KNOB AND

OVER PRESSURE VALVE-STANDARD



CP-11

Compass with bungee



ITP-02

INTERMEDIATE PRESSURE GAUGE

LOW PRESSURE GAUGE

WITH RELEASE KNOB AND

OVER PRESSURE VALVE-SEAQUEST



ITP-03

INTERMEDIATE PRESSURE GAUGE

LOW PRESSURE GAUGE
WITH RELEASE KNOB AND
OVER PRESSURE VALVE-SCUBAPRO



ITP-06

INTERMEDIATE PRESSURE GAUGE

2" LOW PRESSURE GAUGE-SCUBAPRO



ITP-04

INTERMEDIATE PRESSURE GAUGE

2" LOW PRESSURE GAUGE-STANDARD



ITP-07

INTERMEDIATE PRESSURE GAUGE

1.5" LOW PRESSURE GAUGE-STANDARD



ITP-05

INTERMEDIATE PRESSURE GAUGE

2" LOW PRESSURE GAUGE-SEAQUEST



ITP-08

INTERMEDIATE PRESSURE GAUGE

1.5" LOW PRESSURE GAUGE-SEAQUEST



ITP-09

INTERMEDIATE PRESSURE GAUGE

1.5" LOW PRESSURE GAUGE-SCUBAPRO



PG-1-BK

INTERMEDIATE PRESSURE GAUGE

All one piece brass body
Standard Hose length 80 cm / 32"
Weight: 300 gram / USA 10.5 oz

Available in black dial with
fluorescent needle and
graduation numbers.



ITP-10

Digital Intermediate Pressure Gauge

Electronic residual pressure meter
High precision, digital display to
decimal point
Relief valve 180-200PSI,
with bleed valve



PG-1N-52-WH & PG-1N-52-BK

Brass Snap Pressure gauge- Diameter 52 mm (2") Metric available

HP Hose: 68.5cm / 27"
EN250 Certified



ITP-13

Digital Intermediate Pressure Gauge with standard adaptor

Intermediate Low Pressure Checker -
Digital Tank Gauge
Electronic residual pressure meter.
High precision, digital display to decimal point.
Relief valve 180-200PSI, with bleed valve.



PG-1N-63-WH & PG-1N-63-BK

Chrome plated, Shiny Pressure gauge-Diameter 63 mm Metric available

HP Hose: 68.5cm / 27"
EN250 Certified



PG-1S-52-WH & PG-1S-52-BK

Chrome plated, Shiny Pressure gauge-Diameter 52 mm (2")
Metric available

HP Hose: 81.3 cm / 32"
EN250 Certified



PG-2-63-BK

Brass Snap Pressure gauge-Diameter 52 mm (2")
Metric available

HP Hose: 81.3 cm / 32"
EN250 Certified



PG-1-WH

Pressure gauge-Diameter 52mm-
BLACK Metric available

Standard Hose length 80 cm / 32"
Weight: 300 gram / USA 10.5 oz.



Available in black dial with
fluorescent needle and
graduation numbers.

PG-3-52-BK

**3 Gauge console: Pressure gauge
and Depth-gauge on the front;
Compass on the back.**
(Diameter 52 mm)
Metric available

Standard HP Hose: 80 cm / 32"
Weight: 450 gram (15.87 oz)



PG-2-52-BK

**2 Gauge console: Pressure gauge
and Depth-gauge. (Diameter 52 mm)**
Metric available

Standard HP Hose: 80 cm / 32"
Weight: 400 gram (14.10 oz)



PG-3-63-BK

**3 gauge console: Pressure gauge
and depth-gauge on the front;
Standard compass on the back.**
(Diameter 63 mm)
Imperial & Metric available

Standard HP Hose: 80 cm / 32"
Weight: 628 gram (22.15 oz)



PG-3-63-TEMP

All in one, Two-gauge console with analog compass, with thermometer on pressure SPG

Weight: 720 gram.



PG-5

Dive Gauges - 3 in one, Depth SPG+compass + MDI pressure gauge

DIA: 52mm

Weight: 456 grams



PG-4-52-BK

2 gauge console: Pressure gauge and Standard compass
Diameter 52 mm Metric available

Luminous easy to read dial design.

Standard HP Hose: 80 cm / 32"

Weight: 335 gram (11.82 oz)



PG-7

Digital pressure gauge



PG-4-63-BK

2 gauge console: Pressure gauge and Standard compass
Diameter 63 mm Metric available

Weight: 498 gram (17.57 oz)

Luminous easy to read dial design

Standard HP Hose: 80 cm / 32"



PPG-01

Pony gauge w/ PSI & BAR calibrations 7/16 UNF

Weight: 46 gram



SPOOL-01

HP Swivel Spool w/oring

OD: 9.0mm
Length : 18.00mm



TCD-03

DIN Tank Pressure Checker with Large Bleeding Knob



SPOOL-02

HP Swivel Spool w/oring

OD : 4.25mm
Length : 19.10mm



TCY-03

Yoke Tank Pressure Checker with Large Bleeding Knob



SPOOL-03

HP Swivel Spool w/oring

OD : 4.30mm
Length : 20.40mm



TE-01

Tank to Tank equalizer (YOKE)



TE-02

Tank to Tank equalizer (DIN)

OD : 4.25mm
Length : 19.10mm



TE-05

Tank Filler with Gauge (YOKE)



TE-03

Tank to Tank equalizer without Gauge (YOKE)



TE-06

Tank Filler with Gauge (DIN)



TE-04

Tank to Tank equalizer without Gauge (DIN)



TE-07

Tank Filler without Gauge (YOKE)



TE-08

Tank Filler without Gauge (DIN)



TE-09

**Tank to Tank equalizer
without Gauge (YOKE to DIN)**





Buckle/Weight Belt

BB-02

SS304 WEIGHT BELT BUCKLE

Recommend for 2" width and thickness 2.1mm~2.5mm webbing to reach best performance.



BB-03

S.S.304 Buckle

With spring loaded Depth Compensating weight belt buckle SS304.
For 1/8" x 2" webbing to go through.



BB-04



SCUBA DIVING PLASTIC WEIGHT BELT BUCKLE

Material: POM

Weight: 53.6 g

COLOR: ● ● ● ● ●

BB-05

Cam Buckle



BB-08

2" S/S Cam Buckle



BB-06

S.S. Weight belt buckle



BB-09

Quick Release Cam Buckle



BB-07

STAINLESS STEEL Buckle

SS304 Buckle
Suitable for 2" webbing



BB-10

Stainless Free diving belt buckleSS304



BB-11

**2" Stainless SUS316
Cam Buckle**



BB-16

SS304 1" BUCKLE



BB-12

**2" Stainless buckle SUS316
with R-trapezia ring**



FDS-01

**FREE DIVING RUBBER
WEIGHT BELT**

Rubber length: 142 cm
WIDTH: 44mm
THICKNESS: 4.3mm



BB-13

**2" STAINLESS STEEL #304
WEIGHT BELT BUCKLE FOR
FREE DIVE**



FDS-02

**FREE DIVING RUBBER
WEIGHT BELT**

Buckle: SS304 Weight Belt Buckle
Rubber length: 142 cm
Width: 44mm
Thickness: 4.3mm



FDS-03

SILICONE FREE DIVING BELT

The stainless steel buckle with safety check pin which is specially design to simply flick by one hand,ensure dive safe with quick emergency release.



SB-17

S.S. weight belt keeper with D-ring

SIZE:11x6.1cm



SB-19

SS316 Weight Belt Keeper

Size:H 51mm

Weight: 44 g

Material:SS316



SB-14

Stainless Weight Belt Keeper

SIZE:6x2.2CM



BPK-01

Single tank adaptor #304 S.S. w/SCREW SET

Thickness: 2 mm

Screw Thread :5/16-18

19mm thread length

Dive SS304 Tank Adapter w/bolts & nuts



WKB-02

DIVING WEIGHT BELT

Buckle: BB-02 SS304 Weight Belt Buckle
webbing: 153 cm



WKB-07

DIVING WEIGHT BELT

Buckle: BB-07 SS304 Weight Belt Buckle
Webbing: 153 cm



WKB-04

DIVING WEIGHT BELT


Buckle: BB-04 Plastic Weight Belt Buckle
Webbing: 153 cm




WKP-01

WEIGHT KEEPER

PLASTIC WEIGHT KEEPER
COLOR: ● ● ● ● ●





Service Tools

ADJ-01

2nd stage Regulator Adjusting Tool
(For Hexagon Hole Orifice)



ADJ-03

Regulator Adjusting Tool with
intermediate pressure gauge



ADJ-01-H

2nd stage Regulator Adjusting Tool
(For Hexagon Hole Orifice)



BCT-01

B.C. OPRV TOOL



ADJ-02

Regulator Adjusting Tool



CR-01R

Cover remover

Diameter: 8.3cm
Material: Silicone
Weight: 23g
Color: ● ●



CT-01

CUP TOOL



FT-02

O-Ring Tools
Silicone Grease (3g/per)
Brushes



FNT-01

YOKE Retainer Removal Tool



FT-03

Silicone Grease (3g),
Brush



FT-01

O-Ring Tool
O-Ring Pick Set



FT-04

Brushes



FT-05

Silicone Grease (3g)



FT-11

Needle type Oring picker, stainless

Stainless picker



FT-06 · 07 · 08 · 09

Silicone Grease

FT-06 : 5 Gram

FT-07 : 2 OZ

FT-08 : 4 OZ

FT-09 : 1 OZ



FT-12

Sickle Type Oring picker, stainless

Made by stainless to avoid
easy bent or deformation.



FT-10

Spoon Type Oring picker, Stainless


Stainless picker



FT-13

**Stainless Steel rainbow colorful
picker, 3pcs set**

Oring tool , Oring picker set



HST-01

High pressure seat extraction tool



MDT-04

Multi tool 10 function

(CHROME-VANADIUM STEEL)

HEX WRENCH :

2mm/2.5mm/3mm/4mm/

5mm/6mm/8mm

T25 TROX. WRENCH

+/- SCREWDRIVER



MDT-01

Multifunction Dive Tool

Material:Stainless steel



MDT-05

MULTIPLE TOOL FOR POWER INFLATOR

12.9mmHEX



MDT-01A

Multifunction Dive Tool

Material:Stainless steel



MDT-06

MULTIPLE TOOL FOR POWER INFLATOR

12.15mmHEX



MDT-308

Multifunction Dive Tool



MDT-311

Multifunction Dive Tool

Hex : 3/4/5/6/8mm

Torx : T25/T30

Screwdriver : PH2 & FL5

Weight : 172g



MDT-309

Multifunction Dive Tool w/ attachment Hook

1. Orifice Adjustment Flathead Screwdriver
2. O-ring Pick
3. Inflator Schrader Valve Tool
4. Phillips Screwdriver
5. 1/4" Hex Wrench
6. 3/16" Hex Wrench
7. 5/32" Hex Wrench
8. Valve Nut Slotted Screwdriver



PT-3H

Poppet Adjust Tool



MDT-310

Multifunction Dive Tool

MULTI TOOL 7 FUNCTION

Hex : 2/3/4/5/6mm

Screwdriver : PH2 & FL5

Weight : 146g



PT-4H

Poppet Adjust Tool



SOK-01

O-Ring Kit in a box

Oring include

AS568-003 NBR 70
 AS568-006 NBR 70
 AS-568-007 O-RING NBR 70
 AS568-008 NBR 70
 AS568-010 NBR 70 O-RING
 AS568-011 O-RING NBR70
 AS568-012 NBR70O-RING
 AS568-013 O-RING NBR70
 AS568-014 NBR 70°O-RING
 AS568-015 -O-RING NBR 70
 AS568-016 NBR70 O-RING
 AS568-019 NBR70 O-RING
 AS568-022 NBR 70
 AS568-023 NBR 70 O-RING-BK
 AS568-024 NBR70 O-RING
 AS568-025 NBR 70
 AS568-112 NBR70 O-RING bk
 AS568-214 O-RING NBR 70 O-RING



SOK-02

O-Ring Kit in a box

Parts include

AS568-003 NBR 70
 AS568-004 NBR 70
 AS568-005 NBR 70
 AS568-006 NBR 70
 AS-568-007 O-RING NBR 70
 AS568-008 NBR 70
 AS568-009 NBR 70
 AS568-010 NBR 70 O-RING
 AS568-011 O-RING NBR70
 AS568-012 NBR70O-RING
 AS568-013 O-RING NBR70
 AS568-014 NBR 70 O-RING BK
 AS568-015 -O-RING NBR 70
 AS568-016 NBR70 O-RING
 AS568-017 NBR 70
 AS568-018 O-RING NBR 70
 AS568-019 NBR70 O-RING
 AS568-020 NBR 70
 AS568-021 NBR 70
 AS568-022 NBR 70
 AS568-023 NBR 70 O-RING-BK
 AS568-024 NBR70 O-RING
 AS568-025 NBR 70
 AS568-029 NBR 70
 AS568-030 NBR 70
 AS568-110 NBR70 O-RING BK
 AS568-111 NBR 70
 AS568-112 NBR70 O-RING BK
 AS568-213 O-RING NBR 70 O-RING



SOK-01T

O-Ring Kit in a box

Parts include

Blue handle oring picker
 Green handle Oring picker
 Red handle Oring picker

AS568-003 NBR 70
 AS568-006 NBR 70
 AS-568-007 O-RING NBR 70
 AS568-008 NBR 70
 AS568-010 NBR 70 O-RING
 AS568-011 O-RING NBR70
 AS568-012 NBR70O-RING
 AS568-013 O-RING NBR70
 AS568-014 NBR 70 O-RING BK
 AS568-015 -O-RING NBR 70
 AS568-016 NBR70 O-RING
 AS568-019 NBR70 O-RING
 AS568-022 NBR 70
 AS568-023 NBR 70 O-RING-BK
 AS568-024 NBR70 O-RING
 AS568-025 NBR 70
 AS568-112 NBR70 O-RING BK
 AS568-214 O-RING NBR 70 O-RING



AS568-113 NBR 70
 AS568-114 NBR 70
 AS568-115 NBR 70
 O-RING AS-568-116 NBR 70
 O-RING AS-568-117 NBR 70
 O-RING AS-568-118 NBR 70
 O-RING AS-568-210 NBR 70
 O-RING AS-568-211 NBR 70
 AS568-214 O-RING NBR 70 O-RING

SOK-02T

O-Ring Kit in a box

Parts include

Blue handle oring picker
Green handle Oring picker
Red handle Oring picker

AS568-003 NBR 70
AS568-004 NBR 70
AS568-005 NBR 70
AS568-006 NBR 70
AS-568-007 O-RING NBR 70
AS568-008 NBR 70
AS568-009 NBR 70
AS568-010 NBR 70 O-RING
AS568-011 O-RING NBR70
AS568-012 NBR70O-RING
AS568-013 O-RING NBR70
AS568-014 NBR 70 O-RING BK
AS568-015 -O-RING NBR 70
AS568-016 NBR70 O-RING

AS568-017 NBR 70
AS568-018 O-RING NBR 70
AS568-019 NBR70 O-RING
AS568-020 NBR 70
AS568-021 NBR 70
AS568-022 NBR 70

AS568-023 NBR 70 O-RING-BK
AS568-024 NBR70 O-RING
AS568-025 NBR 70
AS568-029 NBR 70
AS568-030 NBR 70

AS568-110 NBR70 O-RING BK
AS568-213 O-RING NBR 70 O-RING
AS568-111 NBR 70 10
AS568-112 NBR70 O-RING BK
AS568-113 NBR 70
AS568-114 NBR 70
AS568-115 NBR 70
O-RING AS-568-116 NBR 70
O-RING AS-568-117 NBR 70
O-RING AS-568-118 NBR 70
O-RING AS-568-210 NBR 70
O-RING AS-568-211 NBR 70
AS568-214 O-RING NBR 70 O-RING



SOK-03

Nitrox O-Ring Kit in a box

Parts include

AS568-006 VITON 90 brown color
AS568-007 VITON 90 brown color
AS568-010 VITON 90
AS568-011 VITON90 brown color
AS568-012 VITON 90 brown color
AS-568-013 VITON 90 brown color
AS568-014 VITON 90 O-RING orange color
AS568-015 VITON 90
AS568-016 VITON 90 brown color
AS568-019 VITON 90 brown color
AS568-022 VITON 90 brown color



AS568-023 VITON 90 brown color
AS568-112 VITON90 brown color
AS568-214 VITON 90 brown color

SOK-03T

Nitrox O-Ring Kit in a box

Parts include

AS568-006 VITON 90 brown color
AS568-007 VITON 90 brown color
AS568-010 VITON 90
AS568-011 VITON90 brown color
AS568-012 VITON 90 brown color
AS-568-013 VITON 90 brown color
AS568-014 VITON 90 O-RING orange color
AS568-015 VITON 90
AS568-023 VITON 90 brown color
AS568-214 VITON 90 brown color



AS568-016 VITON 90 brown color
AS568-019 VITON 90 brown color
AS568-022 VITON 90 brown color
AS568-112 VITON90 brown color

SOK-04

BUNA Oring Kit

AS568-003
AS568-012
AS568-014
AS568-011
AS568-013
AS568-112



SOK-05

Service kits for our 1st stage and 2nd stage regulators .

This box contains all the parts required for servicing the regulators we manufacture.

0104	
0106-01	
0106-02	
0113	
0131-01	
0131-03	
0140	2-010-02
0143	2-011-02
0177	2-012-02
0184	2-013-02
0193	2-014-02
0194	2-015-01
0204	2-016-01
0206	2-019-01
0207	2-022-01
0209	2-023-01
0213	2-024-01
0250	2-112-02
0266-brass	3-903-01
1-78-19-01	3-904-01
2-006-02	3-906-01
2-008-01	3-9532-01
2-010-01	Box



SPW-02A

SPANNER WRENCH 3.17mm



SPW-03A

SPANNER WRENCH 4.73mm



SPW-04A

SPANNER WRENCH W/THREE SIZE PIN

Spanner Wrench with 3 size pin
Range : OD 3/4"~2"
For ID 3.20mm ~ 5.20mm hole



SPW-05A

SPANNER WRENCH W/ 4.00 PIN



SPW-01A

SPANNER WRENCH W/ 3.97mm



STK-01A

SCUBA DIVE

1. " + " SCREW DRIVER
 2. " - " SCREW DRIVER
 3. SPANNER (8")
 4. PLIERS
 5. SPANNER WRENCH(3/4"-2")
 6. O-RING TOOL
 7. STANDARD REG. ADJUSTING TOOL
 8. SWIVEL REG. ADJUSTING TOOL
 - 9.. POPPET TOOL 3 HEAD
 10. POPPET TOOL 4 HEAD
 11. MULTI TOOL(8 IN ONE)
 12. "S" SHAPE WRENCH
 - 13.HANDLE BAR(FIRST STAGE, HP& LP PORT)
 14. SILICONE GREASE
 15. O-RING:
- | | | |
|-----------|-----------|-----------|
| AS568-010 | AS568-012 | AS568-015 |
| AS568-011 | AS568-014 | AS568-112 |



SVS-01A

Schrader valve stem remover



T-01

Handle Bar (1st Stage Remover)



STK-02A

SCUBA TOOL KIT

1. " + " SCREW DRIVER
 2. " - " SCREW DRIVER
 3. CUP TOOL
 4. SPANNER WRENCH(3/4"-2")
 5. O-RING TOOL
 - 6.TWO HEAD DRIVER FOR KNOB OF TANK VALVE
 7. STANDARD REG. ADJUSTING TOOL
 8. SWIVEL REG. ADJUSTING TOOL
 - 9.. POPPET TOOL 3 HEAD
 10. POPPET TOOL 4 HEAD
 11. DT-203 MULTI TOOL(14 IN ONE)
 12. "S" SHAPE WRENCH
 13. HANDLE BAR(FIRST STAGE, HP& LP PORT)
 14. SILICONE GREASE x 1PC
 15. O-RING:
- | | | |
|-----------|-----------|-----------|
| AS568-010 | AS568-012 | AS568-015 |
| AS568-011 | AS568-014 | AS568-112 |



T-31

Hose Protector Installation Tool



TVD-01


TWO HEAD DRIVER for KNOB



WPTL-01

**Weight plate with
multi function easy tool**


Size : 8 x 8 cm
Weight : 41.5 g



WR-01 & WR-02 & WR-03

DIVERS WRENCH

#420 S.S. ,THICKNESS:3mm
SIZE:WR-01 (1/2"--7/16")
WR-02 (11/16"--9/16")
WR-03 (5/8"--1/2")



WR-01



WR-02



WR-03

Clip/Bolt Snap/Hook



CB-01

BRASS CLIP

5/8" X 3 1/4"



CB-02S

STAINLESS STEEL CLIP

STAINLESS STEEL CLIP (3/4" X 3 1/4")

Material:SS 316

Weight: 98 g

Size: Length 99 mm



CB-01B,CB-02B,CB-03B

BRASS CLIP W/1" WEBBING

WEBBING: 1" X 5.1"

COLOR: ● ● ●



CB-01B



CB-02B



CB-03B

CB-03

STAINLESS STEEL CLIP

STAINLESS STEEL CLIP (7/8" X 4 3/4")

Material:SS 316

Weight: 162 g

Size: Length 118 mm



CB-02

BRASS CLIP

BRASS CLIP 92MM



CB-03S

STAINLESS STEEL CLIP

STAINLESS STEEL CLIP (7/8" X 4 3/4")

Material:SS 316

Weight: 162 g

Size: Length 118 mm



CB-04

BRASS DOUBLE ENDER

CB-04: 4"

CB-04A: 3.5"

CB-04B: 4.5"



CB-04A



CB-04



CB-04B

CB-05

BRASS SWIVEL SNAP

BRASS SWIVEL SNAP

Size: 5/8"X3 1/8"



CB-06A

BRASS SWIVEL SNAP

BRASS SWIVEL SNAP(3/4"*3-1/8")



CB-06B

BRASS BOLT SNAP W/WEBBING



CB-07

2" BRASS RING



CB-08

BRASS BUTTERFLY SNAP



CB-08B

**BRASS BUTTERFLY SNAP
W/WEBBING**



CB-10

BRASS CLIP



CB-09

BRASS CLIP



CB-11

BRASS CLIP 90MM W/PIN



CB-09B

BRASS CLIP W/1" WEBBING



CB-12

BRASS CLIP

OVERALL LENGTH: 3"



CB-13

BRASS CLIP

OVERALL LENGTH: 4 3/4"



CB-13B

BRASS CLIP W/1" WEBBING



CB-14

BRASS CLIP 1"X 77MM

CB-14L: 1" X 77MM



CS-02

SS316 CARABINER W/LOCK

OVERALL LENGTH : 100MM



CS-02B

SCUBA DIVE CARABINER W/1" WEBBING

WEBBING : 1" X 5.12"

COLOR: BLACK/BLUE/YELLOW



CS-03

SS316 SNAP HOOK

CS-03S: 3.4" (86MM)

CS-03M: 3.9" (99MM)

CS-03L: 4.6" (118MM)



CS-03SB

CS-03S SNAP W/1" WEBBING

WEBBING : 1" X 5.12"

COLOR: BLACK/BLUE/YELLOW



CS-05B,06B

CARABINER W/1" WEBBING

WEBBING : 1" X 5.12"

COLOR: BLACK/BLUE/YELLOW



CS-04

STAINLESS STEEL DOUBLE ENDER

90MM (SS316)

100MM (SS316)

115MM (SS316)

AVAILABLE SIZES :

90MM (SS316)

100MM (SS316)

115MM (SS316)



CS-06 · CS-06S

SS316 CARABINER

CS-06: 3 1/4"

CS-06S: 2 3/8"



CS-06S



CS-06

CS-05

SS316 CARABINER

CS-05: 4 1/2"



CS-07 · 08

SS316 SPRING HOOK

CS-07: 2 3/4"

CS-08: 2"



CS-08



CS-07

CS-09 · CS-09-60mm

SS316 QUICK LINK

CS-09:

wire 5mm, OD 50mm x 23mm, ID 40mm x 13mm.

CS-09-60mm:

wire 6mm, OD 60mm x 28mm, ID 48mm x 16mm.



CS-11

STAINLESS STEEL BUTTERFLY SWIVEL BOLT SNAP

3.6" (91MM)



CS-09B

SS316 QUICK LINK W/1" WEBBING

WIRE: 4MM



CS-11B

SS BUTTERFLY SWIVEL BOLT SNAP W/WEBBING

SNAP: 3.6" (91MM)

WEBBING: 1" X 5.2"



CS-10

SS316 QUICK LINK

WIRE: 4 MM

ID: 33 MM X 12 MM



CS-12MB

SS SWIVEL BOLT SNAP W/WEBBING

SNAP : 87MM

WEBBING: 1" X 5.2"

COLOR: BLACK / BLUE / YELLOW



CS-12XS·S·M·L

STAINLESS STEEL SWIVEL BOLT SNAP

CS-12XS: 70MM

CS-12S : 80MM

CS-12M : 87MM CS-12M-A:90MM

CS-12L : 105MM



CS-15

#316 S.S. clip, 78mm
overall length



CS-13M·L

SS SWIVEL BOLT SNAP

CS-13M: 4.1" (103MM)

CS-13L: 4.7" (119MM)



CS-16

SS316 BOLT SNAP

OVERALL LENGTH: 85MM



CS-14S

3.9" STAINLESS STEEL DOUBLE ENDER



CS-17

SS316 BOLT SNAP

OVERALL LENGTH: 82MM



CS-18

SS Snap 60mm x 30mm

Diving accessory



CS-21 · CS-22

S.S. 316 halyard snap

S.S. halyard snap

Material: SS316

CS-21: 87mm

CS-22: 125mm



CS-19L

#316 S.S. RING 2"



CS-23

SS304 CARABINEER 6CM



CS-20-304

SS Safety Snap 55mm x 32mm



CS-26-50 · 60 · 70 · 80 · 90 · 100 160mm

SS316 CARABINER 50-100MM

CS-26-50mm

CS-26-60mm

CS-26-70mm

CS-26-80mm

CS-26-90mm

CS-26-100mm

CS-26-160mm



CS-27

SS304 BUTTERFLY SWIVEL BOLT SNAP 108MM

4.25" (108MM)



CS-31S

Double ended bolt snap

Double ended bolt snap

Size: Trigger opening 14mm width

Excellent Material: Marine grade

heavy duty metal of stainless steel 316



CS-36S · M · L

SHACKLE BOLT SNAP S.S.316

CS-36S-86mm

CS-36M-102mm

CS-36L-135mm



CS-29S

Swivel eye bolt snap

Size: Trigger opening 14mm width

Swivel Flexibility: Rotate 360°

Excellent Material: Marine grade

heavy duty metal of stainless steel 316



CS-30S

Asymmetric Swivel bolt snap, revolutionary design

Size: Trigger opening 14mm width

Swivel Flexibility: Rotate 360°

Excellent Material: Marine grade

heavy duty metal of stainless steel 316



DH-01


Reef /Drift hook for current scuba diving

Length : 37cm

MAXIMUM: 180cm

Stainless Steel wire with PU Cover

Color: BK,BL,YL



DH-02

Drift Hook

Nylon Webbing : 1 " x 94cm
Stainless Steel Hook and Clip
Color: Black / Yellow / Blue



HK-01

Stainless stell dual hook

Wire diameter: 5mm



HK-02

STAINLESS STEEL SINGLE HOOK

Wire diameter: 6mm



DH-03

1.8M SS Drift Double Hook

MAX Length 1.8M
Spiral SS Double Drift Hook
Quick Release Shackle
SS Snap



DH-04

1.8M SS Drift Single Hook

MAX Length 1.8M
Spiral SS Single Drift Hook
Quick Release Shackle
SS Snap



HK-03

STAINLESS STEEL DOUBLE HOOK

Wire diameter: 6mm



JL-02

JON LINE W/SS SNAP

WEBBING : 250CM X 1"

Color: Black, Neon Yellow, Blue

Have MOQ Color: Red, Neon Orange



JL-03

Handle Bar (1st Stage Remover)

WEBBING : 250CM X 1"

COLOR: BLACK, NEON YELLOW, NEON ORANGE



JL-04

Freediving Safety Lanyard W/ Wrist webbing quick Release

Stainless steel carabiner 100 cm length

Strong Velcro with comfort pad webbing, total 40.5cm

Tensile load: 150kgs

One clip CS-06



JL-05

Freediving Safety Lanyard - Snap Quick Release

Stainless steel carabiner 100 cm length

Strong Velcro with CS-20 butter fly hook, total 34cm

Tensile load: 150kgs

Two clips in the end of string of CS-06 & CS-20



QLC-01

Quick release web loop clip

SCUBA DIVE

COLOR: ● ● ●



SDH-01

SS DRIFT HOOK



SDH-05

SS DOUBLE DRIFT HOOK
W/SNAP HOOK



SDH-02

SS DRIFT HOOK W/SNAP HOOK



SDH-06

Reef drift hook 95cm
nylon webbing

Size : 8 x 8 cm
Weight : 41.5 g



SDH-04

SS DOUBLE DRIFT HOOK



SDS-01

Double ended clip

Material:POM / S.S.#304
Tensile strength : 62 .2kg
Weight :12.6g
Color : BK,BL,YL,OR



SJL-01

JON LINE W/POUCH

WEBBING LENGTH: 225CM



SSH-02

SS304 SHARK CLIP



SJL-01C

DECO HOOK



SSH-02B


SS304 SHARK CLIP
W/1" WEBBING



SSH-01

SS304 SHARK CLIP





Various of Rings

SB-16

S.S. weight belt keeper with D-ring

SIZE:10.2x6.1cm



SD-03

SUS 304,2" D-Ring Flat

Wire diameter: 6mm

Inner diameter: 54mm

Height: 57mm



SD-01

SUS 304,2" D-Ring

Wire diameter: 5mm

Inner diameter: 52mm

Height: 50mm



SD-04

SUS 304, 2" D-Ring flat with gap

Wire diameter: 5mm

Inner diameter: 50.8mm

Height: 50.5mm



SD-02

SUS 304, 2" D-Ring With curve bent

Wire diameter: 5mm

Inner diameter: 52.6mm

Height: 48.4mm



SD-05

SUS 304, 2" D-Ring flat with gap

Wire diameter: 6mm

Inner diameter: 56mm

Height: 56mm



SD-06

SUS 304, 2" D-Ring

Wire diameter: 6mm
Inner diameter: 55mm
Height: 53.16mm



SD-08

SS 304, 2" O-Ring

Inner diameter: 50.3mm
High: 62.3mm



SD-07-4MM&SD-07-5MM

SUS 304 D-Ring

SD-07-4MM
Wire diameter: 4 mm
Internal diameter: 27 mm
High: 30.6 mm

SD-07-5MM
Wire diameter: 5mm
Internal diameter: 25.8 mm
High: 28.7 mm



SD-07-4MM



SD-07-5MM

SD-09

SS 304, 1" O-Ring

Inner diameter: 25.4mm
High: 37.4mm



SD-07-50

SUS 304 D-Ring

Wire diameter: 5mm
Internal diameter: 28.8 mm
High: 30 mm



SD-10

SS 304, 1.25" O-Ring

Inner diameter: 32.5mm
High: 42.5mm



SD-11

SS 304, Delta Quick Link



Inner diameter: 46.2mm
Width: 50.17mm
Height: 58.20mm
Wire diameter: 6mm



SD-14

Flat D-Ring, aluminum

Wire diameter: 6mm
Inner diameter: 51.8X38 mm
High: 50mm
Color: Black, Purple, Pink, Blue, Green, Silver, Gold



SD-12

SS 304, 2" Triangle Ring

Ø: 5.84mm
Inner diameter: 50mm
Height: 56mm



SD-13

SS 304, O-Ring

Wire diameter: 6mm
Inner diameter: 23.9mm
High: 35.9mm



SD-15

Length: 73.6mm
Width: 43.2mm
Thickness: 3mm



SD-16

2" Stainless Weight Belt Keeper W/Ring

SUS 304

Thickness: 2.5mm

Long: 97.93mm

Width: 38.25mm



SD-18F

5mm Flat d-ring soldered gap (No bent) Soldered center part (straight=flat)

Size:66.2x49.2 mm

Weight:27.4 g



SD-17

Multi functional crook hook SS316 stainless, high resist of corrosion, for Scuba dive, under water or in land use are recommended.

Size:39.72x26.82 mm

Wire diameter: 5mm



SD-20

S.S. 304 D-ring, flat



SD-18

5mm D-Ring flat with gap, bent angle 30 degree

Material : SS304

Size(mm):66.2 (L) X50 (W)

Weight :27.2 g



SD-21

5MM S.S. 304 D-ring

Wire diameter 5mm

Height 53mm

Outer diameter 65.60mm

Inner diameter 55.60mm



SDB-01

S.S.304 flat D-ring &
stainless weight belt keeper



SDB-02

SUS 304, 2" D-Ring + 2" soft webbing 156CM





Tank Rattle/Boot

BOOT-2

SCUBA DIVE Tank boot, 8

Material:PVC

Size:8" DIA.



BOOT-5

SCUBA DIVE Tank boot, 7 1/4"

TANK BOOT

Material:PVC

Size:7 1/4" DIA.

Weight:320 g



BOOT-7

Tank boot 7.25" dia

Tank boot

Material:PP

Size:7.25" dia

weight:235 g

MOQ:40 pcs

Color : ● ●



BOOT-3

SCUBA DIVE Tank boot, 7 1/4"

Material: PVC

Size:7 1/4" DIA.

Round bottom



BOOT-4

SCUBA DIVE Tank boot, 8"

Material: PVC

Size:8" DIA

Round bottom



STR-01

Tank rattle W/ Lanyard



STR-03

Tank rattle W/ Lanyard & Magnet muffler



STR-06

Underwater Rattle w/Silencer and Hook

U/W Tank with rattle muffler ,
clip and magnet cap (BLISTER PACK)



STR-04

Underwater Rattle Pointer 8"

With stainless hook
length: 26cm



STR-05

**Underwater Rattle Pointer 8"
w/Silencer**

With stainless hook
length: 28.5cm



STR-07-CS & STR-07-BK

**Brass Tank rattle
W/ Magnet muffler**

Length: 13 CM
Material: Brass



STR-08-CS & STR-08-BK

Brass Tank rattle W/ Magnet muffler

Length: 13.5 CM
Material: Brass



STR-11

Stainless Oval Tank rattle

Oval Tank rattle
Length: 10.5 CM
Material: Stainless



STR-12

Stainless Tank rattle W/ Stainless Steel Key Ring

Length: 15 CM
Material: Stainless



STR-13

Stainless Tank rattle

Tank rattle
Length: 13 CM
Material: Stainless



STR-10

Stainless Tank rattle W/ Lanyard & Magnet muffler

Length: 14CM
Material: Stainless



Swivel/adaptors/Plug



AD-01

1 to 3 Adapter

One 3/8" MALE to 3 of 3/8" FEMALE adaptor



AD-04

Thread Adapter

Male -1/2-20 to Female 3/8-24



AD-02

Thread Adapter

Male 9/16-18 to Female 3/8-24



AD-05

Thread Adapter

Male 3/8-24 to Female 7/16-20



AD-03

Thread Adapter

Male -3/8-24 to Female 1/2-20



AD-06

Thread Adapter

Male 7/16-20 to Female 3/8-24



AD-07

**Thread Adapter
Male 9/16 to Female BC**



AD-10

**Thread Adapter
Female BC Standard to
Male BC Sequest**

converts standard BC QD to
APEKS/SEAQUEST
connections



AD-08

**Thread Adapter
Male 9/16 to Female Sequest BC**

converts 9/16 male to
APEKS/SEAQUEST
connections



AD-11

**Thread Adapter
Female BC Standard to
Male BC Scubapro**

converts standard BC QD to S
CUBAPRO/ZEAGLE/ATOMIC/SHERWOOD
connection



AD-09

**Thread Adapter
Male 9/16 to Female SCUBAPRO BC**

converts 9/16 thread to
SCUBAPRO/ZEAGLE/ATOMIC/SHERWOOD
connection



AD-12

**Thread Adapter
Female BC Sequest to
Male BC standard**

converts APEKS/SEAQUEST to standard BC nipple



AD-13

Thread Adapter Female BC Seaquest to Male BC Scubapro

converts APEKS/SEAQUEST connection to
SCUBAPRO/ZEAGLE/ATOMIC/SHERWOOD
connection



AD-19

Thread Adapter 3/8-24 UNF-2A to Female BC Standard

3/8-24 UNF-2A to Female BC Standard



AD-14

Thread Adapter Female BC Scubapro to Male BC Standard

converts SCUBAPRO connection to standard BC Nipple



AD-20

Thread Adapter 3/8-24 UNF-2A to Female BC Seaquest (W / Lock)



AD-15

Thread Adapter Female BC Scubapro to Male BC Seaquest

converts
SCUBAPRO/ZEAGLE/ATOMIC/SHERWOOD
connection to
APEKS/SEAQUEST
connection



AD-21

Thread Adapter 3/8-24 UNF-2A to Female BC Scubapro



AD-22

Thread adapter
Male BC Standard to Male 1/4 NPT



AD-25

Thread Adapter
Male BC Seaquest to Female 9/16-18

converts
APEKS/SEAQUEST
connection to 9/16-18



AD-23

Male BC SEAQUEST TO Male 1/4 NPT



AD-26

Thread Adapter
3/8-24 UNF-2A to Male BC Standard



AD-24

Thread adapter
Male BC Scubapro to Male 1/4 NPT

converts
SCUBAPRO/ZEAGLE/ATOMIC/SHERWOOD
connection to 1/4NPT thread



AD-27

Thread Adapter
3/8-24 UNF-2A to Male BC Seaquest

converts 3/8-24 2A to
APEKS/SEAQUEST
connections



AD-28

Thread Adapter 3/8-24 UNF-2A to Male BC Scubapro

converts 3/8-24 thread to
SCUBAPRO/ATOMIC/ZEAGLE/SHERWOOD
connections



AD-31

Female 1/4 NPT to Male DIN thread



AD-29

1 TO 3 Adapter

7/16-20 UNF 2A to 7/16-20 UNF 2B x 3



AD-32

YOKE Adapter for DIN Valve



AD-30

1 TO 2 Adapter

9/16-18 UNF 2A to 3/8-24 UNF 2B x 2



AD-33

REG to Standard BCD Converter

Male: Standard BCD QD Nipple

Female: REG 9/16-18



AD-34

REG to SCUBAPRO BCD Hose Converter

Male: SCUBAPRO QD Nipple

Female: REG 9/16-18



AD-37

HP hose to Pony Bottle adapter

Male thread: 7/16-20 UNF

Female thread: 7/16-20 UNF



AD-35

Male 1/2 TO 2 X Female 3/8



AD-41

Adaptor Male 3/8-24 to male 3/8-24



AD-36

HP port to Computer Adapter

HP port thread: 7/16-20 UNF

Computer port thread: 3/8-24 UNF



AD-42

Female 3/8-24 TO Standard BCD QD



AD-43

Female 9/16-18 TO Male 3/8-24

Female 9/16-18 TO Male 3/8-24



AD-47

Male 9/16-18 TO Male 3/8-24



AD-44

Male 9/16-18 TO Male 1/4" NPT



AD-50

AIR Indicator - 1st Stage

ON/OFF Indicator - 1st Stage

W/O BATTERY

BURN TIME: 30 HRS

UNDER WATER: 50METER

WORKING PRESSURE: 150 PSI MAX

BATTERY SELECTION: LR44 X 2



AD-45

Female 3/8-24 TO Male 1/4" NPT



AD-51

LP Hose to 2nd Stage Adapter

LP Hose to 2nd Stage Adapter with 3/8-24 thread hole



AD-52

AIR Indicator - 2nd Stage

ON/OFF Indicator - 2nd Stage
W/O BATTERY
BURN TIME: 30 HRS
UNDER WATER: 50METER
WORKING PRESSURE: 150 PSI MAX
BATTERY SELECTION: LR44 X 2



AD-56

ONE WAY VALVE

Male: 9/16-18
Female: 9/16-18
Arrow is air way



AD-54

1/4 NPT TO BC FEMALE STANDARD FOR FILL



AD-57

ONE WAY VALVE

Male: 9/16-18
Female: 3/8-24
Arrow is air way



AD-55

ONE WAY VALVE

Male: 3/8-24
Female: 3/8-24
Arrow is air way



AD-59

Second Stage ON-OFF valve

THREAD: Male 9/16 TO Female 9/16



AD-59-M

Second Stage ON-OFF valve

THREAD: Male 9/16 TO Female 9/16



AD-63

**Adapter Female 3/8-24 TO
Female 3/8-24**



AD-60

**Male 9/16 TO Female
9/16 ON/OFF Valve**



AD-64

Adapter Male 9/16 TO Male 9/16



AD-62

**Adapter Female 3/8 TO
Female BC standard with Lock**



AD-65

Male 9/16 TO Male BC Standard ON/OFF Valve



AD-66

Adapter
Female 3/8-24 TO Female 9/16-18



AD-70

Female 9/16 TO Male BC
Standard ON/OFF Valve



AD-68

BC HOSE QUICK DISCONNECT KEEPER

Material: TPE



AD-71

Adapter SCUBAPRO QD Nipple with
Female 3/8 -24 UNF



AD-69

Adapter
Female 9/16 TO Female 9/16



AD-73

PLASTIC DUST PLUG FOR
1ST STAGE LP PORT

It can only be used for dust protection and
cannot withstand gas pressure.



AD-75

Male 9/16 To Female BC Standard



AD-81

M1/4"NPT TO M3/8"



AD-76

Thread Adapter
Male 9/16 to Female Seaquest BC



AD-85&AD-87

AD-85:PLUG-LP 3/8-24
AD-87:PLUG-HP



AD-80

ADAPTER 9/16-18F to 3/8-24 M



AD-86

LP PLUG 1/2-20



AD-89

LP Hose Swivel

LP Hose Swivel F 3/8-24 TO M 3/8-24



AD-91

M9/16 TO F BC standard



AD-90

Pony Bottle Pressure Gauge Swivel Adaptor



AD-92

Adapter M9/16 TO F BC standard x2

AD-19*2+AD-02+SA-08



AD-90A

Swivel Adaptor W/ PPG-01+SPOOL-01+KC-24-16

Without high pressure hose!!



AD-93

ADAPTER 7/16-20 to 7/16-20



AD-95

**Adaptor Male 9/16-18 to
BC female (SCUBAPRO) with lock**



BWHA-02

Hose Adapter to Female 3/8-24

Scuba Dive equipment



BC-VALVE

BCD Hose Schrader Valve



DFT-01

Din Fitting for 1st Stage

Din retainer and housing made to two piece type.



BWHA-01

Garden Adapter to Female 3/8-24

Scuba Dive equipment



DFT-02

Din Fitting for 1st Stage

Din retainer and housing made to one piece type.



DY-01

Din to Yoke Adaptor



SA-01

360 degree Swivel Adaptor 9/16-18



OPV-01

Over Pressure Valve
FOR LP PORT OF 1ST STAGE

Working Pressure: 180-200psi

Material : Brass



SA-02

360 degree swivel Adaptor
Substitute O-Ring & Steel Ball;
Allow Wrench (2.5mm ; 3.0mm);
Silicone Grease



OPV-02

Over Pressure Valve for
air compressor use

OPV-02 FOR MACHINE

For air compressor use

Working Pressure: 180-200psi



SA-03

90 degree swivel adaptor

Female: 9/16-18 UNF

Male: 9/16-18 UNF



SA-04

110 degree swivel adaptor

Female: 9/16-18 UNF

Male: 9/16-18 UNF

Thread : 9/16-18



SA-07

360 degree swivel adaptor for 1st stage (LP)

Thread : 3/8-24 (LP)



SA-05

360 degree swivel adaptor for 1st stage (LP)

Thread : 3/8-24 (LP)



SA-08

1 to 2 ports swivel adaptor for LP port 110 degree

Male: 3/8-24

Female: 3/8-24



SA-06

360 degree swivel adaptor for 1st stage (HP)

Thread : 7/16-20 (HP)



SA-08P

1 to 2 ports swivel adaptor for LP port 110 degree with LP Plug

Male: 3/8-24

Female: 3/8-24



SA-09

**1 to 2 ports swivel adaptor for
LP port 90 degree**

Male: 3/8-24

Female: 3/8-24



SA-13

**Regulator 360 Degree Swivel Adaptor
with 90 Degree Angle**

Female: 9/16-18 UNF

Male: 9/16-18 UNF



SA-09P

**1 to 2 ports swivel adaptor for
LP port 90 degree with LP Plug**

Male: 3/8-24

Female: 3/8-24



SA-14

**Regulator 360 Degree Swivel Adaptor
with 110 Degree Angle**

Female: 9/16-18 UNF

Male: 9/16-18 UNF



SA-12

**Regulator 360 Degree
Swivel Adapter**

Male: 9/16-18

Female: 9/16-18



SDF-01

Din Fill Adaptor



SDF-02

Din Fill Adaptor



SW-02

Brass Swivel

Diameter: 7mm
Length: 25mm
Hole Diameter: 3.7mm



SPOOL-05

HP Swivel Spool w/ viton oring

OD: 9.0mm
Length : 18.00mm



TF-01

Tire Inflator W / KeyChain

Color: ● ● ● ● ●



SW-01

Brass Swivel

Diameter: 9mm
Length: 28mm
Hole Diameter: 5mm



TF-01B

Tire Inflator W / KeyChain

Material: Aluminum Alloy

Color: Gold, Silver, Red, Blue



YK-01

Yoke Knob, TPR



YK-02

Yoke Knob, ABS



TF-02

Tire Inflator W / KeyChain





Spearfishing Gear

FS-01-10M;FS-01-20M;FS-01-30M

Fish stringer W/ PE string



FSB-02-10M;FSB-02-20M;FSB-02-30M

Spear fishing float W/ fish stringer



FS-02

Fish stringer W/ Cable(82cm) only



FSB-03

Spear fishing float

float 57x20 cm
w/ shark clip (2pcs)
w/ dive flag 19x19 cm
w/ 5 mmx25 M line



FS-03

FISH STRINGER

5mm SS304 Stainless Steel
16" x 7.25"



FSN-01

SPEED NEEDLE



PES-01

SCUBA DIVE PE String

Length: 10M, 20M, 30M



SPR-04X


One-piece Polespear

Overall Length: 127.5cm

Pole : Fiberglass w/SS Seat

Single SS. Prong w/Barb + 3-Prong SS. Spear Top

Bungee: TPR



SPR-02X


One-piece Polespear

Overall Length: 127.5cm

Pole : Fiberglass w/SS Seat

Three SS. Prong

Bungee: TPR



SPR-06

One-piece Polespear


Specifications

Overall Length : 5FT / 6FT / 7FT

Pole : Fiberglass w/SS Seat

Spearhead : Fixed SS304 3-Prong

Bungee: TPR



SPR-03X



One-piece Polespear

Overall Length: 127.5cm

Pole : Fiberglass w/SS Seat

Single SS. Prong w/Barb

Bungee: TPR



SPR-07

One-piece Polespear


Specifications

Overall Length : 5FT / 6FT / 7FT

Pole : Fiberglass w/SS Seat

Spearhead : Fixed SS304 Barb

Bungee: TPR



SPR-024

Spearfishing Gear

SRP-024=A+B+C (Set)

Or you can choose only one

SPR-024A / SPR-024B / SPR-024C





Scuba Light/Torch

LED Light 2200LUMEN -100M



4 Different set up brightness

FL-30



color : ● ● ●

- Brightness up to 2200lumen, with SST-40 core.
- Battery use standard 18650 or 21700 lithium battery
- Testing Underwater 100M~
- Can be mounted with a standard ball joint or handheld bracket.
- SS316 stainless lamp head to prevent deformation and water leakage caused by impact.
- 4 Different set up brightness : High- Medium- low- SOS.
- Hold 3 second to turn off.
- 5000 mAh 21700 Rechargeable battery,
High : 3Hour
Medium : 5Hour
Min : 15Hour
SOS : 3Hour

Customization are welcome.

FL-13C & FL-13F

High Quality Super Bright LED Light Stick

MODEL NO:

FL-13C (Constant type)

FL-13F (Flash type)

Super bright LED x 1pc

LED lifetime: 100,000 hours

No battery included (Battery: LR44 x 3pcs)

Burn time:

12 hours or above (constant type)

24 hours or above (flash type)

Under water: 300 feet

Anti-rust treatment

Color: Red, Green, Orange, White, Blue

Product size: 15 dia x 120mm(L)



FL-18

Water resistant Glow in the dark Sticks

1.Suitable For:

. Commercial fishing and boat fishing as fish attractive devices

. Outdoor hiking and mountain climbing equipment as mark lights

.Toys

.Diving equipment

2. Colors: Orange, Green, Yellow, Red

3. Working time: 8 hrs

4.Length:17.5CM



FL-22

Marker light(Flashing) single color

Size:13cmX2.8cm

Powered by 1AA battery (Not included)

Color: GN,BL,RD,OR

Burn time is approximately

15 hours and depth rating is 300'



FL-23

Marker light(Flashing)

Size:13cmx2.8cm

Marker light(Flashing), colored

Powered by 1AA battery (Not included)

Burn time is approximately 15 hours

and depth rating is 300'



FL-26

Special LED light stick for scuba

#Dimension: 15mm dia*150 mm length

#Super light LED 2pcs

#burn time: 50hours each side

#Battery LR-44*6pcs two sides

#Under water 300ft

#Anti rust treatment



